

Accessories / Monitors

SF-MNT10BNC-V2

4N1 Professional CCTV Monitor

4N1 Technology Series

Range of monitors designed to connect directly to a camera or recorder through BNC connector. Specially designed for video surveillance with 24/7 operation. They are characterized by their versatile connectivity that allow obtaining images with resolutions up to 1080p

- LED Monitor 10"
- Designed for surveillance 24/7
- 1280x800 Resolution
- 1xBNC IN/OUT(loop) | 1xHDMI | 1xVGA
- 1xAudio IN
- Built-in Speakers



Technical Specification

Monitor	
Backlight	LED
Screen Size	10.1 inch
Pixel Pitch	0.1695mm (H) * 0.1695mm (W)
Max Resolution	1280 * 800
Refresh Rate	60Hz
Brightness	300 cd/m ²
Contrast	800:1
Response Time	8 ms
Color	1.07million
Active Area	216.96mm (H) * 135.6mm (V)
Viewing Angle	Horizontal 160°, Vertical 160°
Aspect Ratio	16:10
Interfaces	
BNC Input	1
BNC Output	1
HDMI Input	1
VGA Input	1
Audio Input	1
General	
Power Input	DC 12V, 3A
Power Consumption (on and standby)	≤15W
Loudspeaker	8 □ 1 Watt/channel
Working Humidity	10% - 85%RH (No Condensation)
Storage Temperature	-20 °C ~ +60 °C
Color of Casing	Black
Working Temperature	0□ ~ 40□
Body Dimensions(W*H*D)	245.61mm*230.88mm*85mm
VESA	75mm*75mm
Dimensions + Stand(W*H*D)	1070mm*696mm*159 mm

Net Weight	1.5kg
Gross Weight	2kg
Accessories	
Power Cord	1
VGA cable	1
User Manual	1
Battery	1